

Global Navigation Satellite System (GNSS) Data Formats

Dinesh Manandhar

Center for Spatial Information Science

The University of Tokyo

Contact Information: dinesh@iis.u-tokyo.ac.jp

Data Formats: NMEA, RINEX

References: <https://www.nmea.org/>
<http://freenmea.net/docs>

National Marine Electronics Association (NMEA) Format

- NMEA is format to output measurement data from a sensor in a pre-defined format in ASCII
- In the case of GPS, It output GPS position, velocity, time and satellite related data
- NMEA sentences (output) begins with a “Talker ID” and “Message Description”
 - Example: \$GPGGA,123519,4807.038,N,01131.000,E,1,08,0.9,545.4,M,46.9,M,,*47
 - “\$GP” is Talker ID
 - “GGA” is Message Description to indicate for Position Data

NMEA Data Format

GGA - Fix data which provide 3D location and accuracy data.

\$GPGGA,123519,4807.038,N,01131.000,E,1,08,0.9,545.4,M,46.9,M,,*47

Where: GGA Global Positioning System Fix Data

123519 Fix taken at 12:35:19 UTC

4807.038, N Latitude 48 deg 07.038' N

01131.000, E Longitude 11 deg 31.000' E

1 Fix quality:

0 = invalid ,

1 = GPS fix (SPS),

2 = DGPS fix,

3 = PPS fix,

4 = Real Time Kinematic

5 = Float RTK

6 = estimated (dead reckoning) (2.3 feature)

7 = Manual input mode

8 = Simulation mode

08 Number of satellites being tracked

0.9 Horizontal dilution of position

545.4,M Altitude, Meters, above mean sea level

46.9,M Height of geoid (mean sea level) above WGS84 ellipsoid

(empty field) time in seconds since last DGPS update (empty field) DGPS station ID number

*47 the checksum data, always begins with *

Serial Configuration of NMEA

- Baud rate : 4800
- Parity : None
- Data bits : 8
- Stop bits : 1
- Handshake : None

RINEX Data Format

- Receiver Independent Exchange Format (RINEX) is a data exchange format for raw satellite data among different types of receivers.
 - Different types of receivers may output position and raw data in proprietary formats
 - For post-processing of data using DGPS or RTK it is necessary to use data from different types of receivers. A common data format is necessary for this purpose.
 - Example: How to post process data from Trimble, Novatel and Septentrio receivers to compute a position?
- RINEX only provides Raw Data. It does not provide position output.
 - User has to post-process RINEX data to compute position
 - Raw data consists of Pseudorange, Carrierphase, Doppler, SNR
- RINEX basically consists of two data types
 - “*.N” file for Satellite and Ephemeris Related data.
 - Also called Navigation Data
 - “*.O” file for Signal Observation Data like Pseudorange, Carrier Phase, Doppler, SNR
 - Also called Observation Data

RINEX "N" File for GPS

```

2.11          NAVIGATION DATA      GPS (GPS)          RINEX VERSION / TYPE
cnvtToRINEX 2.90.0  convertToRINEX OPR  05-Jul-17 03:38 UTC PGM / RUN BY / DATE
-----
0.8382D-08  0.2235D-07 -0.5960D-07 -0.1192D-06      ION ALPHA
0.8602D+05  0.6554D+05 -0.1311D+06 -0.4588D+06      ION BETA
-0.931322574615D-09-0.355271367880D-14  405504      1947 DELTA-UTC: A0,A1,T,W
18                                          LEAP SECONDS
                                          END OF HEADER
32 17 05 01 00 00  0.0-0.400723423809D-03-0.110276232590D-10 0.000000000000D+00
0.370000000000D+02-0.806250000000D+01 0.455840416154D-08-0.192420920137D+01
-0.353902578354D-06 0.111064908560D-02 0.826455652714D-05 0.515371503258D+04
0.864000000000D+05-0.782310962677D-07 0.675647076441D-01-0.838190317154D-07
0.958529124300D+00 0.221156250000D+03-0.265074890978D+01-0.796390315710D-08
-0.389659088008D-09 0.100000000000D+01 0.194700000000D+04 0.000000000000D+00
0.240000000000D+01 0.000000000000D+00 0.465661287308D-09 0.370000000000D+02
0.795120000000D+05 0.400000000000D+01 0.000000000000D+00 0.000000000000D+00
24 17 05 01 00 00  0.0-0.341213308275D-04-0.454747350886D-12 0.000000000000D+00
0.100000000000D+02 0.787812500000D+02 0.459340561950D-08 0.167267059468D+01
0.404566526413D-05 0.564297637902D-02 0.102464109659D-04 0.515370226479D+04
0.864000000000D+05-0.782310962677D-07 0.108986675687D+01 0.484287738800D-07
0.945651423640D+00 0.170906250000D+03 0.490563049326D+00-0.815641117584D-08
-0.128933942045D-09 0.100000000000D+01 0.194700000000D+04 0.000000000000D+00
0.240000000000D+01 0.000000000000D+00 0.279396772385D-08 0.100000000000D+02
0.792180000000D+05 0.400000000000D+01 0.000000000000D+00 0.000000000000D+00

```

RINEX “N” File for QZSS

RINEX “N” File for GLONASS

RINEX “N” File for GALILEO

RINEX “N” File for BEIDOU

RINEX “N” File for SBAS

RINEX "O" File GPS, GLONASS, GALILEO, QZSS, SBAS

```

2.11 OBSERVATION DATA Mixed(MIXED) RINEX VERSION / TYPE
cnvtToRINEX 2.90.0 convertToRINEX OPR 05-Jul-17 03:38 UTC PGM / RUN BY / DATE
----- COMMENT
KMBA MARKER NAME
KMBA MARKER NUMBER
DM UT OBSERVER / AGENCY
5536R50102 TRIMBLE NETR9 5.20 REC # / TYPE / VERS
UNKNOWN EXT ANT # / TYPE
-3955510.8982 3357111.6791 3697796.5495 APPROX POSITION XYZ
0.0000 0.0000 0.0000 ANTENNA: DELTA H/E/N
1 1 0 WAVELENGTH FACT L1/2
8 C1 C2 C3 L1 L2 L3 P1 P2 # / TYPES OF OBSERV
1.000 INTERVAL
2017 5 1 0 0 0.0000000 GPS TIME OF FIRST OBS
2017 5 1 23 59 59.0000000 GPS TIME OF LAST OBS
0 RCV CLOCK OFFS APPL
18 LEAP SECONDS
59 # OF SATELLITES
G01 23351 23350 0 23350 46694 0 0 23344 PRN / # OF OBS
G02 22293 0 0 22293 22286 0 0 22286 PRN / # OF OBS
G03 19633 19632 0 19632 39259 0 0 19627 PRN / # OF OBS
G05 25303 25302 0 25299 50599 0 0 25297 PRN / # OF OBS
G06 24709 24708 0 24709 49411 0 0 24703 PRN / # OF OBS
G07 27766 27764 0 27764 55505 0 0 27741 PRN / # OF OBS

```

RINEX "O" File, Continued from previous slide

CARRIER PHASE MEASUREMENTS: PHASE SHIFTS REMOVED										PRN / # OF OBS							
										COMMENT							
										END OF HEADER							
S37	86400	0	0	86400	0	0	0	0	0	17	5	1	0	0	0.000000	0	19G10G12G14G15G18G24G25G31G32R01R02R03
S40	56700	0	0	56700	0	0	0	0	0					R11R12R13S28S29S37S40			
21375379.406	7	21375388.078	9					112328384.475	7	87528640.180	9						
							21375388.41448										
20991588.469	7	20991594.418	9					110311559.942	7	85957091.970	9						
							20991594.71548										
23097788.500	6							121379711.146	6	94581624.25147							
							23097793.85247										
24539464.648	6	24539473.480	8					128955722.954	6	100484989.893	8						
							24539473.66046										
21890081.000	6							115033147.870	6	89636240.02147							
							21890086.53547										
22760846.398	6	22760855.313	9					119609048.681	6	93201876.319	9						
							22760854.86347										
20303284.266	7	20303294.227	9					106694510.219	7	83138615.317	9						
							20303294.01248										
23440741.258	6	23440748.211	8					123181935.734	6	95985961.100	8						
							23440748.62147										
21395760.742	7	21395769.145	9					112435502.496	7	87612113.685	9						
							21395769.30548										